AUTHOR INDEX TO VOLUME 2

A

Acheampong-Mensah, D.K., 9
Albanese, A. A., 29
Atkinson, R.L., 1, 231

B

Benton, D.A., 119
Blamberg, D.L., 291
Bradley, J.W., 231
Bunce, G.E., 145

C

Cartei, G., 267,343
Causarano, D., 343
Chang, Y-O., 99
Cheraskin, E., 107
Chu, R.C., 179
Cigna, A., 19
Clemente, G., 19
Couch, J.R., 1,231,243
Cox, D.H., 179
Creger, C.R., 1, 243
Cruz, N.L., 59

D

Daniel, V.A., 185,225
DeGuzman, V.A., 243
Desai, B.L.M, 185,225
Devilat,J., 257
Dhanamitta, S.,87
Dolev, A., 297

F

Ferro-Luzzi, A., 19
Frazier, W. R., 119

G

Gaetani, S., 331
Gürson, C. T., 249

H

Hall, B.L., 145
Halverson, A.W., 203
Hill, D.C., 9

I

Iacono, J.M., 43

K

King, L.R., 43

L

Lee, S., 59
Leela, R., 305
Lo, G.S., 59
Longenecker, J.B., 59, 73
Lorenze, E.J., Jr., 29

M

McLaughlan, J.M., 281
Mariani, A., 19
Massotti, D., 331
Meani, A., 267, 343
Mokady, S., 93, 297
Morris, R. S., 119

N

Narayanaswamy, D., 185, 225
Noel, F.J., 281
Novaro, P., 331

O

Orto, L.A., 29
O'Shea, J.P., 351

P

Palmer, I.S., 203
Parpia, H.A.B., 185,225
Pennetti, V., 19
Pond, W.G., 257
Portela, M.L., 193
Price, N.O., 145

Q

Quisenberry, J.H., 231

R

Rajalakshmi, D., 225
Rama Rao, P.B., 305, 319
Reed, P.B., 73
Rencz, K.H., 119
Ringsdorf, W.M., Jr., 107

S

Sanahuja, J.C., 193
Saner, G., 249
Silvestre, M.T.G., 133,141
Spadoni, M.A., 331
Srinivas, H., 319
Swaminathan, M., 153,185, 225

T

Tranquilli, G.B., 19
Tsay, D.T., 203
Turkki, P.R., 133,141

V

Valyasevi, A., 87
Van Reen, R., 87

W

Walker, E.F., Jr., 257
Wein, E.H., 29
White, M.N., 73
Winkler, W., 351
Wright, K.N., 209

Y

Yokota, F., 99
Young, M., 119

SUBJECT INDEX TO VOLUME 2

A

Acetylsalicylic acid, effect of administration in reducing kidney calicification in magnesium-deficient young rats, 145
Anabolic agents, non-steroidal, and protein metabolic effects in humans, 29
Anabolic steroids, biochemical and physical effects in swimmers and weightlifters, 351
Anthropometric measurements, and whole body counter, for predicting human body fat content, 19
Amino acids,
in plasma of growing pigs, effect of dietary amino acid balance, 257
_____, protein depleted rats, effect of dietary fluoride, 193
balance, dietary, effect on plasma amino acid concentration in growing pigs, 257

B

Brain,
DNA synthesis, effect of temporary reduction of phenylketonuria-like characteristics in infant rats, 73
protein synthesis, effect of temporary induction of phenylketonuria-like characteristics in infant rats, 59

C

Calcium, deficiency, effect on serum lipids in man, 43
Carbohydrate tolerance tests, changes in plasma free fatty acids and glucose levels in Turkish marasmic infants, 249
Cardiovascular findings, and daily vitamin E consumption in adult humans, 107
Cereals, breakfast, effect of protein quality on weight gain and total protein efficiency in chicks, 291
Ceruloplasmin levels, in elderly men, effect of estrogens, 343
Chicks,
effect of guar gum on cholesterol levels, 243
_____ protein quality of dry breakfast cereals on weight gain and total protein efficiency, 291
Chloroquine, effect of administration in reducing kidney calcification in magnesium-deficient young rats, 145
Chloropromazine, effect of administration in reducing kidney calcification in magnesium-deficient young rats, 145
Cholesterol, effect of guar gum in chicks, 243
Choline deficiency, in young rats, synthesis of phosphatidylethanolamine to lecithin, 133, 141

Contraceptives, oral, and iron supplements, effect on serum transferrin levels of pregnant and non-pregnant women, 267
Copper, addition to excess zinc diet of lactating rats, effect on milk composition, 179
Cystine supplementation, of low protein diets, effect on liver and plasma hexosamine in rats, 319

D

Diet, of turkey breeders, fat levels, 1
Dietary restrictions, in newborn and weanling rats, effect on liver ribosomes, 331

E

Egg, effect of feeding on plasma lipid composition in weanling rats, 119
Estrogens, effect on transferrin, iron, and ceruloplasmin levels in elderly men, 343
Ethionine supplementation, of low protein diets, effect on liver and plasma hexosamine in rats, 319

F

FAO/WHO recommendations for protein requirements, evaluation and comparison with recommendations of Indian Council of Medical Research, 153
Fat,
  human body content, prediction of using correlations between whole body counter and anthropometric measurements, 19
  levels in the diet of turkey breeders, 1
Fatty acids, and glucose levels, changes during carbohydrate tolerance tests in marasmic infants, 249
Fatty liver syndrome, in laying hens, 209
Fish solubles, effect on hatchability and growth in turkeys, 231
Fluoride, dietary, effect on food consumption and plasma amino acid levels in protein-depleted rats, 193
Folic acid supplementation, of high serine diets in weanling rats, effect on growth and liver composition, 99
Food consumption, in protein-depleted rats, effect of dietary fluoride, 193

G

Glucose, blood, and fatty acid levels, changes during carbohydrate tolerance tests in marasmic infants, 249
Guar gum, effect on cholesterol levels in chicks, 243

H

Hens, laying, and fatty liver syndrome, 209
Hexosamine, in liver and plasma of rats, effect of low-protein diet with or without cystine or ethionine, 319
"Horchata de Chufa", effect of enrichment on weight gain and food consumption in weanling rats, 297

I

Indian Council of Medical Research, recommendations for protein requirements and comparison with FAO/WHO recommendations, 153
Inositol, effect on fatty liver syndrome in commercial layers, 209
Iron, in serum of elderly men, effect of estrogens, 343
Iron supplements, and oral contraceptives, effect on serum transferrin levels of pregnant and non-pregnant women, 267

K

Kidney calcification, in magnesium-deficient young rats, reduction by administration of chlorpromazine or acetylsalicylic acid, 145

L

Lecithin synthesis, in choline-deficient and normal young rats, 133, 141
Lipid metabolism, of liver and spleen, effect of protein quality in weanling rats, 93
Lipids,
in levels of rats fed low protein diets with or without supplements of cystine or ethionine, 319
plasma, effect of long-term feeding of egg in weanling rats, 119
serum, effect of calcium deficiency in man, 43
Liver,
composition, of weanling rats, effect of folic acid supplementation to diets high in serine, 99
phospholipids, in choline-deficient and normal rats; synthesis of phophatidylethanolamine to lecithin, 133, 141
ribosomes, in newborn and weanling rats, evaluations and effect of dietary restriction, 331
Lysine,
dietary, effect of excess on weanling rats, 9
supplementation, effect on PER of a low cost protein food in weanling rats, 225
_____, _____ poor ragi (millet) diet in weanling rats, 185

M

Magnesium deficiency, in young rats, effect of chlorpromazine, chloroquine or acetylsalicylic acid in reduction of kidney calcification, 145
Marasmus, in Turkish infants, changes in plasma free fatty acids, and glucose levels during carbohydrate tolerance tests, 249
Methionine,
supplementation, effect on PER of a low cost protein food in weanling rats, 225
_____, _____ poor ragi (millet) diet in weanling rats, 185
Mucopolysaccharides, of rat skin, effect of vitamin A deficiency, 305

N

Necrogenic syndrome, in albino rats, effect of dietary trimethylselenonium chloride, 203
Net protein utilization, effect of dietary protein level in weanling rats, 281
Non-steroids, effects in humans on protein metabolism, 29

O

Oxalcrystalluria, effect of vitamin B_1 and phosphate supplements in Thai infants, 87
Oxandrolone, biochemical and physical effects in swimmers and weight-lifters, 351

P

Phenylketonuria, temporary induction in infant rats, 59,73
Phosphate, and vitamin B_1 supplements, effect on bladder stone disease in Thai infants, 87
Phosphatidylethanolamine synthesis, in choline-deficient and normal young rats, 133, 141
Pigs, growing, effect of dietary amino acid balance on plasma amino acid concentration, 257
Protein,
-calorie malnutrition, in Turkish infants, changes in plasma free fatty acids and glucose levels during carbohydrate tolerance tests, 249
efficiency cost index, (PECI), a new parameter for relating quality of breakfast cereal proteins to cost, 291

Protein, (continued)
efficiency ratio, in weanling rats, effect of limiting amino acid supplementation of a low cost protein food, 225
_____, _____, _____ essential amino acid supplementation of a poor ragi (millet) diet, 185
food, low-cost, improvement of protein value in weanling rats by supplementation with limiting amino acids, vitamins and minerals, 225
level, dietary, effect on net protein utilization in weanling rats, 281
metabolic effects, in humans, of a non-steroidal anabolic agent, 29
quality, effect on lipid metabolism of liver and spleen in weanling rats, 93
_____, evaluation of dry breakfast cereals in chicks, 291
requirements, in infants, children, and adults, evaluation of FAO/WHO recommendations , 153

R

Ragi, improvement of protein value in weanling rats by supplementation with limiting essential amino acids, 185
Rats,
infant, effect on brain DNA synthesis, by temporary induction of phenylketonuria-like characteristics, 73
_____, _____ protein synthesis, by temporary induction of phenylketonuria-like characteristics, 59
newborn and weanling, behavior of hepatic ribosomes in normal and malnourished animals, 331
nulliparous, effect of excessive dietary zinc and copper supplements on composition of milk, 179
protein depleted, effect of dietary fluoride on food consumption and blood plasma amino acid levels, 193
weanling, effect of enrichment of "Horchata de Chufa" with protein, vitamins and minerals on weight gain and food consumption, 297
_____, _____ excess dietary lysine, 9
_____, _____ folic acid supplementation to diets high in serine on growth and liver composition, 99
_____, _____ long-term feeding of egg on plasma lipid composition, 119
_____, _____ low protein diets with or without supplements of cystine or ethionine on liver and plasma hexosamine, 319
_____, _____ on PER by supplementing a low-cost protein food with limiting amino acids, 225
_____, _____ poor ragi diet with limiting amino acids, 185
_____, _____of protein level on net protein utilization, 281
_____, _____ quality on lipid metabolism of liver and spleen, 93

Rats, (continued)
weanling, effect of vitamin A deficiency on acid mucopolysaccharides of skin, 305
young, choline deficient and normal, synthesis of phophatidylethanolamine to lecithin, 133, 141
_____, effect of magnesium-deficient diet in kidney stone genesis, 145
Ribosomal assembly, evolution during postnatal development of liver cells in normal and malnourished rats, 331

S

Serine, high levels in diets of weanling rats and effect of folic acid supplementation, 99

T

Thailand, bladder stone disease in human infants, and effect of vitamin B_1 and phosphate supplements, 87
Threonine,
supplementation, effect on PER of a low-cost protein food in weanling rats, 225
_____, _____ poor ragi (millet) diet in weanling rats, 185
Transferrin,
in serum of elderly men, effect of estrogens, 343
_____ pregnant women, effect of oral contraceptives and iron supplements, 267
Trimethylselenonium chloride, dietary, effect on necrogenic syndrome in albino rats, 203
Turkey breeders,
effect of condensed fish solubles on hatchability and growth, 231
fat levels in the diet, 1

V

Vitamin,
A, deficiency, effect on acid mucopolysaccharides of rat skin, 305
B_1, and phosphate supplements, effect on bladder stone disease in THAI infants, 87
E, daily consumption and relation to cardiovascular findings in adult humans, 107

W

Wheat and soybean flour blend, improvement of protein value in weanling rats by supplementation with limiting amino acids, vitamins and minerals, 225

Whole body counter, and anthropoemetric measurements for predicting human body fat content, 19

Z

Zinc, dietary, effect of excess on composition of milk in lactating rats, 179